

1248 RF 93

DUE
DATE

ACTION

DIST.	LTR	ENC
BENEDETTI, R.L.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
BENJAMIN, A.	<input type="checkbox"/>	<input type="checkbox"/>
BERMAN, H.S.	<input type="checkbox"/>	<input type="checkbox"/>
CARNIVAL, G.J.	<input type="checkbox"/>	<input type="checkbox"/>
CORDOVA, R.C.	<input type="checkbox"/>	<input type="checkbox"/>
CROUCHER, D.W.	<input type="checkbox"/>	<input type="checkbox"/>
DAVIS, J.G.	<input type="checkbox"/>	<input type="checkbox"/>
FERRERA, D.W.	<input type="checkbox"/>	<input type="checkbox"/>
HANNI, B.J.	<input type="checkbox"/>	<input type="checkbox"/>
HEALY, T.J.	<input type="checkbox"/>	<input type="checkbox"/>
HEDDAHL, T.G.	<input type="checkbox"/>	<input type="checkbox"/>
HILBIG, J.G.	<input type="checkbox"/>	<input type="checkbox"/>
IDEKER, E.H.	<input type="checkbox"/>	<input type="checkbox"/>
KIRBY, W.A.	<input type="checkbox"/>	<input type="checkbox"/>
KUESTER, A.W.	<input type="checkbox"/>	<input type="checkbox"/>
LEE, E.M.	<input type="checkbox"/>	<input type="checkbox"/>
MANN, H.P.	<input type="checkbox"/>	<input type="checkbox"/>
MARX, G.E.	<input type="checkbox"/>	<input type="checkbox"/>
McKENNA, F.G.	<input type="checkbox"/>	<input type="checkbox"/>
MORGAN, R.V.	<input type="checkbox"/>	<input type="checkbox"/>
PIZZUTO, V.M.	<input type="checkbox"/>	<input type="checkbox"/>
POTTER, G.L.	<input type="checkbox"/>	<input type="checkbox"/>
RILEY, J.H.	<input type="checkbox"/>	<input type="checkbox"/>
SANDLIN, N.B.	<input type="checkbox"/>	<input type="checkbox"/>
SATTERWHITE, D.G.	<input type="checkbox"/>	<input type="checkbox"/>
SCHUBERT, A.L.	<input type="checkbox"/>	<input type="checkbox"/>
SETLOCK, G.H.	<input type="checkbox"/>	<input type="checkbox"/>
SHEPLER, R.L.	<input type="checkbox"/>	<input type="checkbox"/>
SULLIVAN, M.T.	<input type="checkbox"/>	<input type="checkbox"/>
SWANSON, E.R.	<input type="checkbox"/>	<input type="checkbox"/>
WILKINSON, R.B.	<input type="checkbox"/>	<input type="checkbox"/>
WILSON, J.M.	<input type="checkbox"/>	<input type="checkbox"/>
ZANE, J.O.	<input type="checkbox"/>	<input type="checkbox"/>

Schubbe ☒
Cundt M ☒
Taylor K ☒

CORRES. CONTROL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TRAFFIC	<input type="checkbox"/>	<input type="checkbox"/>

Reviewed for Addressee
Corres. Control RFP

3-15-93
DATE BY

Ref Ltr. #

COLORADO DEPARTMENT OF HEALTH

dedicated to protecting and improving the health and
environment of the people of Colorado

00 Cherry Creek Dr. S. Laboratory Building
Denver, Colorado 80222-1530 4210 E. 11th Avenue
Phone (303) 692-2000 Denver, Colorado 80220-3716
(303) 691-4700

March 5, 1993

Mr. Rich Schassburger
U. S. Department of Energy
Rocky Flats Plant
Building 116
P. O. Box 928
Golden, CO 80402

RE: REVISED FINAL, PHASE I RFI/RI WORK PLAN, INSIDE BUILDING CLOSURES
(OPERABLE UNIT 15), U. S. DEPARTMENT OF ENERGY, OCTOBER 1992

Dear Mr. Schassburger,

The Colorado Department of Health, Hazardous Materials and Waste Management Division (the Division) and the U. S. Environmental Protection Agency (EPA) have reviewed the subject document submitted by DOE and its prime contractor, EG&G. Our review of the revisions made to this document has found them to be adequate. The conditional approval of the Final, Phase I RFI/RI Work Plan for OU-15 remains in effect, however, pending resolution of the following comments.

Comment 1: EPA's previous comment which addressed closure of RCRA Unit 63 requires modification of the Executive Summary and clarification by the Division. Approval of Part VIII of the Mixed Residue Permit Modification is pending final review by the Division. Part VIII contains closure plans for Unit 63 which specifically address radioactive contamination and cleanup of the unit. In order to ensure that CERCLA requirements for radionuclides are addressed, the division will see that these plans remain in the Mixed Residue Permit Modification. Please add to page ES-2 sentences that state that inclusion of RFI/RI work for Unit 63 in the Mixed Residue Permit Modification does not remove IHSS 212 from the IAG; that any necessary corrective action beyond the IHSS will be performed pursuant to the IAG; and that DOE will eventually need to issue a CERCLA decision document to close the unit.

Comment 2: Please check the list of Operating Procedures on Page 11-1 against those listed in revised Table 10-1.

STATE OF COLORADO

MAR 15 2 51 PM '93



Roy Romer
Governor

Patricia A. Nolan, MD.
Executive Director

EG&G
ROCKY FLATS PLANT
CORRESPONDENCE CONTROL

If you have any questions concerning these comments, please contact Carl Spreng of the Division at 692-3358 or Dave Maxwell of EPA at 293-1082.

Sincerely,

A handwritten signature in cursive script, reading "Gary W. Baughman". The signature is written in dark ink and is positioned above the printed name and title.

Gary W. Baughman
Chief, Facilities Section
Hazardous Waste Control Program

Attachments

cc: Daniel S. Miller, AGO
Martin Hestmark, EPA
Jackie Berardini, CDH-OE
Jen Pepe, DOE
Dennis Schubbee, EG&G